

**CIGARETTE DISTRIBUTOR'S
REPORT OF RETURNED STAMPS**

DISTRIBUTOR'S NAME		DISTRIBUTOR'S ACCOUNT NUMBER	
ADDRESS (street, city, state, zip code)		TELEPHONE NUMBER ()	
CONTACT NAME		CONTACT TELEPHONE NUMBER ()	

Please provide the roll serial number, the number of stamps remaining, the corresponding order number, and a description of the stamp problem:

ROLL SERIAL NUMBER	NUMBER OF STAMPS REMAINING	ORDER NUMBER
DESCRIPTION OF THE STAMP PROBLEM		

PLEASE INDICATE HOW THE NUMBER OF STAMPS REMAINING WAS DETERMINED

The roll of stamps referenced above may be defective or non-compliant and cannot be used, as verified by:

NAME OF DISTRIBUTOR REPRESENTATIVE	SIGNATURE	DATE
NAME OF MEYERCORD TECHNICIAN	SIGNATURE	DATE

INSTRUCTIONS

In the event that you find defective or non-compliant stamps, you should promptly notify Meyercord Revenue at 1-800-639-3799 and make arrangements to have a Meyercord technician validate the problem stamp issue. You should also notify the California Department of Tax and Fee Administration's Cigarette Tax Stamp Desk at 1-916-341-6923.

If the Meyercord technician determines that the stamps cannot be used, you should complete a CDTFA-413-ACTS, *Cigarette Distributor's Report of Returned Stamps* for **each** roll of defective or non-compliant stamps and have the Meyercord technician sign and date each form.

Please complete the front side of this form as follows:

Indicate your (distributor) name, your account number, your full address, your telephone number, and the name and telephone number of a contact person if applicable.

Provide the tax stamp roll serial number, the number of stamps remaining on the roll (per your records), the corresponding order number, a description of the stamp problem, and how the number of remaining stamps was determined.

Provide the name, signature and date of signature of both the distributor representative and the Meyercord technician.

Fax the completed CDTFA-413-ACTS, *Cigarette Distributor's Report of Returned Stamps* to the Cigarette Tax Stamp Program Desk at 1-916-327-6235.

Retain a copy of this form for your records. Enclose the original copy with the defective stamps that are being returned to Meyercord.